Certificate

Chemistry Microbiology, and Technical Services

CLIENT: Alaskan Copper Works

P.O. Box 3546

Seattle, WA 98124

ATTN: Raphael

LABORATORY NO. 17422

DATE: July 17, 1989

PO# M10645

REPORT ON:

WATER

**SAMPLE** 

**IDENTIFICATION:** 

Submitted 07/06/89 and identified as shown below:

1) 6-1-3200-M

2) 6-6-3200-M

3) 6-8-3200-M

4) 6-13-3200-M

6-15-3200-M

6-20-3200-M

6-22-3200-M

6-27-3200-M

9) 6-29-3200-M

TESTS PERFORMED AND RESULTS:

## parts per million (mg/L)

Chromium Copper Nickel Zinc

	3	4
0.40 0.23	0.088 0.026	0.82 0.35
		0.82
0.018	0.006	0.044
		0.23 0.026 · 0.41 0.06



This report is submitted for the exclusive use of the person, partnership, or corporation to whom it is addressed. Subsequent use of the name of this company or any member of its staff in connection with the advertising or sale of any product or process will be granted only on contract. This company accepts no responsibility except for the due performance of inspection and/or analysis in good faith and according to the rules of the trade and of science.

Certificate

Chemistry, Microbiology, and Technical Services

PAGE NO. 2

LABORATORY NO. 17422

Alaskan Copper Works

## parts per million (mg/L)

	5	6		8	9
Chromium	0.62	1.9	0.48	2.6	4.1
Copper	0.47	1.0	0.25	1.7	2.2
Nickel	1.2	1.3	0.64	3.5	6.7
Zinc	0.036	0.070	0.032	0.14	0.28

Respectfully submitted,

Laucks Testing Laboratories, Inc.

.∕J. M. Owens

JMO: Taj



This report is submitted for the exclusive use of the person, partnership, or corporation to whom it is addressed. Subsequent use of the name of this company or any member of its staff in connection with the advertising or sale of any product or process will be granted only on contract. This company accepts no responsibility except for the due performance of inspection and/or analysis in good faith and according to the rules of the trade and of science.